


CS201 Cable Sheath Stripper



CS201 Cable Sheath Stripper

The need for fast Mid-Span Access to the fiber cable core is very important for the rapid growing FTTX market. The CS201 is a tool which can perform mid span sheath stripping reliably, easily, and safely.


Key Features

- Accurately removes the sheath of a cable without damaging the fiber
- Can be used for making circular and lateral cuts in the cable
- Blade is designed for safety
- Small and lightweight design


SPECIFICATIONS:

Applicable cable diameter	Ø10~32mm
Applicable cable jacket type	Polyethylene Jacket, Laminated Aluminum Polyethylene Jacket (Jacket Thickness : Less than 4mm)
Weight	Approx. 200g
Dimensions	Approx. 90W×38D×52H mm
Change blade (Option)	Specify as CS202

Circular cut in cable



Lateral cut along the cable



SHEATH REMOVAL INSTRUCTIONS:

STEP 1: Use PVC tape to mark the section of Jacket be removed



STEP 2: Attach the CS201 to the cable.



STEP 3: Cut the cable laterally between the marked position.



Continued on next page

Sheat Removal Instructions - Continued

STEP 4: Cut around the cable at the both ends (Circular)



STEP 5: Strip the sheath off



STEP 6: Pull the fiber out



Contact Us:

Fusion Splicer Customer Service, Training and Service Center

417 Dividend Drive
Peachtree City, GA 30269, USA
Toll Free: 866-452-9516
Phone: 678-783-1090
Fax: 678-783-1093
Email: splicers@ofsoptics.com

OFS Corporate Headquarters

2000 Northeast Expressway
Norcross, Georgia 30071, USA
Toll Free: 888-Fiber-Help
Intl. Phone: 770-798-5555
Email: ofs@ofsoptics.com

For additional information please contact your sales representative. You can also visit our website at:
<http://www.ofsoptics.com>.

FITEL is a registered trademark of Furukawa Electric North America, Inc.

OFS reserves the right to make changes to the prices and product(s) described in this document in the interest of improving internal design, operational function, and/or reliability. OFS does not assume any liability that may occur due to the use or application of the product(s) and/or circuit layout(s) described herein.

This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.

Copyright © 2008 Furukawa Electric North America, Inc. All rights reserved, printed in USA.

OFS
Marketing Communications
FITEL-CS201-1208



Use electronic files, available at:
www.ofsoptics.com - Use less paper